

Product data sheet

Characteristics

MJL26600

Circuit Breaker, PowerPact M, electronic trip, unit mount, 600A, 2 pole, 25 kA, 600 VAC, lugs both ends



Price* : 7,829.00 USD



Main

| | |
|---------------------------|-----------------|
| Product or component type | Circuit breaker |
|---------------------------|-----------------|

Complementary

| | |
|---------------------------|--|
| Line Rated Current | 600 A |
| Number of Poles | 2P |
| Breaking capacity code | J |
| Magnetic Tripping Current | 1200...6000 A |
| Electrical connection | Lugs load Lugs line |
| Terminal identifier | AL800M23K |
| Tightening torque | 442.54 lbf.in (50 N.m) 0.15...0.37 in ² (95...240 mm ²) (AWG 3/0...500 kcmil) |
| Height | 12.86 in (326.6 mm) |
| Width | 0.32 in (8.06 mm) |
| Depth | 8.27 in (210 mm) |
| Continuous current rating | 80 % |

Ordering and shipping details

| | |
|---------------------|---------------------------------|
| Category | 01205-MG, MJ UNIT MOUNT BREAKER |
| Discount Schedule | DE2 |
| GTIN | 00785901879893 |
| Package weight(Lbs) | 28.00 lb(US) (12.701 kg) |
| Returnability | Yes |
| Country of origin | US |

* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.


Offer Sustainability

| | |
|----------------------------|--|
| Sustainable offer status | Green Premium product |
| California proposition 65 | WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Compliant EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information. |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End of Life Information |
| PVC free | Yes |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Approximate Dimensions



in.
[mm]

