Product data sheet Characteristics

MJL36350

Circuit Breaker, PowerPact M, unit mount, electronic trip, 350A, 3 pole, 25 kA, 600 VAC, lugs both ends





Price*: 9,456.00 USD



Commercial status

To be discontinued on: 31 December 2021

To be end-of-service on: 31 December 2022

(!) To be discontinued

Main

Product or component type

Complementary		
Line Rated Current	350 A	
Number of Poles	3P	
Breaking capacity code	J	
Magnetic Tripping Current	7003500 A	
Electrical connection	Lugs load Lugs line	
Terminal identifier	AL800M23K	
Tightening torque	442.54 lbf.in (50 N.m) 0.150.37 in ² (95240 mm ²) (AWG 3/0500 kcmil)	
Height	12.86 in (326.6 mm)	
Width	0.32 in (8.06 mm)	
Depth	8.27 in (210 mm)	
Continuous current rating	80 %	

Ordering and shipping details

Category	01205-MG, MJ UNIT MOUNT BREAKER	
Discount Schedule	DE2	
GTIN	00785901879947	
Package weight(Lbs)	29.00 lb(US) (13.154 kg)	
Returnability	Yes	
Country of origin	US	1

^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Circuit breaker


Offer Sustainability

Sustainable offer status	Green Premium product	
California proposition 65	WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	REACh Declaration	
EU RoHS Directive	Compliant EU RoHS Declaration	
Mercury free	Yes	
RoHS exemption information	Yes	
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	End of Life Information	
PVC free	Yes	

Contractual warranty

Contractad warranty		
Warranty	18 months	

Approximate Dimensions



MJL36350 is replaced by:



Unit Mount MCCB MJL36800E10

Circuit breaker, PowerPact M, adj trip, unit mount, 300A-800A, 3 pole, 25 kA, 600 V, lugs $\,$

Qty 1