Product data sheet Characteristics

MJP36800

Circuit Breaker, PowerPact M, electronic trip, unit mount, 800A, 3 pole, 25 kA, 600 VAC, lugs off end

Product availability: Stock - Normally stocked in distribution facility

SQUARE D



Price*: 11,882.00 USD



Main

Product or component type	Circuit breaker

Complementary

Service Comments		
<i>M</i> ain		
Product or component type	Circuit breaker	
Complementary		
Line Rated Current	800 A	
Number of Poles	3P	
Breaking capacity code	J	
Magnetic Tripping Current	16008000 A	
Electrical connection	Lugs load	
	Terminal nut line	
Terminal identifier	AL800M23K	
Tightening torque	442.54 lbf.in (50 N.m) 0.150.37 in² (95240 mm²) (AWG 3/0500 kcmil)	
Height	12.86 in (326.6 mm)	
Vidth	0.32 in (8.06 mm)	
Depth	8.27 in (210 mm)	
Continuous current rating	80 %	
Ordering and shipping details		
Category	01205 - MG, MJ UNIT MOUNT BREAKER	
Discount Schedule	DE2	
GTIN	00785901785910	
Nbr. of units in pkg.	1	
Package weight(Lbs)	29.19 lb(US) (13.24 kg)	
Returnability	Yes	

Ordering and shipping details

Category	01205 - MG, MJ UNIT MOUNT BREAKER	
Discount Schedule	DE2	
GTIN	00785901785910	
Nbr. of units in pkg.	1	
Package weight(Lbs)	29.19 lb(US) (13.24 kg)	
Returnability	Yes	F

^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Country of origin	US
Packing Units	
Package 1 Height	18.50 in (46.990 cm)
Package 1 width	12.10 in (30.734 cm)
Package 1 Length	10.30 in (26.162 cm)
Offer Sustainability	
Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
PVC free	Yes

Contractual warranty

Contracted warranty	
Warranty	18 months

Approximate Dimensions

