# Product data sheet
## Characteristics

# QO215EPD5237
## Mini circuit breaker, QO, 15A, 2 pole, 120/240 VAC, 10 kA, 30mA grd fault B, plug in mount, ring

Product availability : Non-Stock - Not normally stocked in distribution facility

Price* : 792.00 USD



## Main

| | |
|---|---|
| Product | Miniature circuit-breaker |
| Range | QO |
| Current Rating | 15 A |
| Voltage Rating | 120/240 V AC<br>120 V AC |
| Mounting Type | Plug-in |
| Number of Poles | 2P |
| Circuit Breaker Type | Ground fault protecting class B 30 mA |
| Ratings | Not rated |
| Electrical Connection | Ring tongue |

## Complementary

| | |
|---|---|
| Interrupt Rating | 10 kA 120/240 V AC 50/60 Hz<br>10 kA 120 V AC 50/60 Hz |
| Number of Panel Spaces | 2 |
| Wire Size | AWG 14...AWG 8 copper<br>AWG 12...AWG 8 aluminium |
| Tightening Torque | 40.71 lbf.in (4.6 N.m) 0.00…0.02 in² (2.5…10 mm²) (AWG 16...AWG 14)<br>40.71 lbf.in (4.6 N.m) 0.01…0.03 in² (4…20 mm²) (AWG 12...AWG 4) |
| Height | 4.12 in (104.65 mm) |
| Width | 2.25 in (57.15 mm) |
| Depth | 2.91 in (73.91 mm) |

## Environment

| | |
|---|---|
| Certifications | UL Listed<br>CSA |

* Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| Ambient Rating | 104 °F (40 °C) |

## Ordering and shipping details

| | |
|---|---|
| Category | 00910 - QO-EPD,QOB-EPD BREAKERS |
| Discount Schedule | DE2A |
| GTIN | 00785901826767 |
| Nbr. of units in pkg. | 33 |
| Package weight(Lbs) | 33 lb(US) (14.97 kg) |
| Returnability | No |
| Country of origin | MX |


## Offer Sustainability

| | |
|---|---|
| Sustainable offer status | Green Premium product |
| EU RoHS Directive | Compliant<br>EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS declaration<br>Product out of China RoHS scope. Substance declaration for your information. |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End of Life Information |

## Contractual warranty

| | |
|---|---|
| Warranty | 18 months |

## Dimensions


2.91
[74]
2.31
[59]
4.12
[104]
Pigtail: 18
[457]
2 Pole
1.5
[38]
0.75
[19]
1 Pole
0.75
[19]
0.75
[19]
in.
[mm]