Product data sheet Characteristics

QO3100BNF

Load center enclosure, QO, 3 phase, 3 spaces, used with 100A breaker, NEMA1, flush cover, UL

Product availability: Stock - Normally stocked in distribution facility

SQUARE D

Price*: 149.00 USD



Main

Marketing Trade Name	QO	
Product Type	Enclosure	
Enclosure Type	Enclosure	
Cover Type	Flush cover	

Complementary

2 000000				
Main				
Marketing Trade Name	QO			
Product Type	Enclosure			
Enclosure Type	Enclosure			
Cover Type	Flush cover			
Complementary				
Tightening Torque	35 lb.in, AWG 14AWG 10, copper 35 lb.in, AWG 12AWG 10, aluminium			
	Main lugs 40 lb.in, AWG 8AWG 4, aluminium/copper			
	Main lugs 50 lb.in, AWG 3AWG 2, aluminium/copper			
	Main lugs 35 lb.in, AWG 14AWG 10, copper Main lugs 35 lb.in, AWG 12AWG 10, aluminium			
Rated Current	<u> </u>			
Number of Spaces	3			
Max Short Circuit Current Rating	22 kA			
Number of Phases	3 phase			
Wire Size	AWG 14AWG 1 copper			
	AWG 12AWG 1 aluminium			
Ground Bar	Grounding bar (ordered separately)			
Electrical Connection	Lugs			
Wiring Configuration	3-wire			
Busbar Material	Tin plated copper busbar			
Enclosure Material	Welded sheet steel			
Surface Finish	Baked enamel Gray			
Box Number	13			
Height	13.11 in (333 mm)			


^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Width	5.87 in (149 mm)		
Environment			
Enclosure Rating	NEMA 1 indoor		
Product Certifications	UL Listed		
Ordering and shipping details			
Category	00023 - QO,Q2L 3P ENCL & BREAKERS		
Discount Schedule	DE2		
GTIN	00785901051756		
Nbr. of units in pkg.	1		
Package weight(Lbs)	5.73 lb(US) (2.6 kg)		
Returnability	Yes		
Country of origin	MX		
Packing Units			
Unit Type of Package 1	PCE		
Package 1 Height	4.61 in (11.7 cm)		
Package 1 width	7.52 in (19.1 cm)		
Package 1 Length	15.20 in (38.6 cm)		
Offer Sustainability			
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov		
REACh Regulation	REACh Declaration		
REACh free of SVHC	Yes		
EU RoHS Directive	Compliant EU RoHS Declaration		
Toxic heavy metal free	Yes		
Mercury free	Yes		
RoHS exemption information	Yes		
China RoHS Regulation	China RoHS declaration		
Ca i torro i togulation	Pro-active China RoHS declaration (out of China RoHS legal scope)		

Contractual warranty

Warranty	18 months


Dimensions



	KNOCKOUTS								
SYMBOL	Α	В	С	D	Е	F			
IN	.50	.75	1.00	1.25	1.50	2.00			
MM	13	19	25	32	38	51			

All dimensions are approximate. Also see technical documentation.

Wiring Diagram



QO3100BNF QO3100BNS QO3100BNRB