

Product data sheet

Characteristics

QOXD263

Mini circuit breaker, QO, 63A, 2 pole, 240/415 VAC, 3 kA, plug in mount



Price* : 70.00 USD



Main

Product	Miniature circuit-breaker
Range	QO
Current Rating	63 A
Voltage Rating	240/415 V AC
Mounting Type	Plug-in
Number of Poles	2P
Circuit Breaker Type	Standard

Complementary

Interrupt Rating	Icu 3 kA 240/415 V AC 50/60 Hz IEC 947-2
Number of Panel Spaces	2
Tightening Torque	44.25 lbf.in (5 N.m) 0.02...0.04 in ² (10...25 mm ²) (AWG 8...AWG 2)
Height	3.13 in (79.50 mm)
Width	1.48 in (37.59 mm)
Depth	2.91 in (73.91 mm)

Environment

Certifications	IEC
Ambient Rating	104 °F (40 °C)

Ordering and shipping details

Category	00920-QO INTERNATIONAL SENA
Discount Schedule	DE2A
GTIN	00785901142614
Package weight(Lbs)	10.08 oz (285.763 g)

* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Jul 30, 2021

Returnability	No
Country of origin	MX


Offer Sustainability

Sustainable offer status	Green Premium product
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Halogen content performance	Halogen free product

Contractual warranty

Warranty	18 months
----------	-----------

Dimensions



Dimensions are approximate. Refer to technical documentation for additional detail.