

## Product data sheet

### Characteristics

# QUM400CL

Meter mains, QO, combination service entrance, ringless socket, 400A, surface mount, class 320, lever bypass

Product availability : Non-Stock - Not normally stocked in distribution facility



Price\* : 10,001.00 USD



### Main

Product or component type	Meter Mains
Range of product	QO

### Complementary

Line Rated Current	400 A
Short-circuit current	65 kA
Network number of phases	1
Meter socket type	Ringless
Mounting	Surface Semi flush field installed flange kit
Number of spaces	0
Number of circuits	0
Number of Tandem Breakers	0
Hub type	A-L
Electrical connection	Lugs service ground Studs line side
Wire Size	AWG 4...250 kcmil aluminium)service ground AWG 4...250 kcmil copper)service ground
Disconnect	Service disconnect (ordered separately)
Main Breaker Rating	400 A
Service feed location	UG
Bypass type	Class 320 lever bypass
Height	43.00 in (1092.20 mm)
Width	28.25 in (717.55 mm)

\* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Jul 30, 2021

Depth	7.87 in (199.90 mm)
-------	---------------------

## Environment

Product certifications	UL E-6294
------------------------	-----------

## Ordering and shipping details

Category	00148 - HOMELINE CSED DEVICES
Discount Schedule	DE3A
GTIN	00785901611509
Nbr. of units in pkg.	1
Package weight(Lbs)	120.00 lb(US) (54.431 kg)
Returnability	No
Country of origin	MX

## Packing Units

Unit Type of Package 1	PCE
Package 1 Height	42.99 in (109.2 cm)
Package 1 width	28.27 in (71.8 cm)
Package 1 Length	7.87 in (20 cm)


## Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information.

## Contractual warranty


Warranty	18 months
----------	-----------

## Dimensions



All dimensions are approximate. Also refer to technical documentation.

Wiring Diagram



TWO BRANCH CIRCUIT BREAKERS TYPE Q2L  
(QBL, QDL OR QGL PREFIX) (200A MAX)  
MAY BE FIELD INSTALLED. ORDER ONE MOUNTING  
KIT CATALOG NUMBER BMK2Q400