

# Product data sheet

## Characteristics

# RCM200SL

Meter mains, Homeline, combination service entrance, ringless socket, 200A, surface mount, lever bypass

Product availability : Stock - Normally stocked in distribution facility



Price\* : 1,950.00 USD



### Main

Product or component type	Meter Mains
Range of product	Homeline

### Complementary

Line Rated Current	200 A
Short-circuit current	10 kA
Network number of phases	1
Meter socket type	Ringless
Mounting	Surface
Number of spaces	0
Number of circuits	0
Number of Tandem Breakers	0
Hub type	A
Electrical connection	Lugs line side Lugs service ground
Wire Size	AWG 8...AWG 1/0 aluminium/copper)service ground AWG 6...350 kcmil aluminium/copper)line side
Disconnect	Service disconnect (ordered separately)
Main Breaker Rating	200 A
Service feed location	OH UG
Bypass type	Class 320 lever bypass
Height	24.00 in (609.60 mm)
Width	24.44 in (620.78 mm)

\* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Depth	4.94 in (125.48 mm)
-------	---------------------

## Environment

Product certifications	UL E-6294
------------------------	-----------

## Ordering and shipping details

Category	00022 - QO METER MAINS
Discount Schedule	DE3A
GTIN	00785901985594
Nbr. of units in pkg.	1
Package weight(Lbs)	60.00 lb(US) (27.216 kg)
Returnability	Yes
Country of origin	US

## Packing Units

Unit Type of Package 1	PCE
Package 1 Height	5.80 in (14.732 cm)
Package 1 width	24.50 in (62.23 cm)
Package 1 Length	27.30 in (69.342 cm)


## Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Nickel (Metallic), which is known to the State of California to cause cancer, and Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
RECh Regulation	<a href="#">RECh Declaration</a>
RECh free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information.

## Contractual warranty

Warranty	18 months
----------	-----------

Dimensions



All dimensions are approximate. Also refer to technical documentation.