Product data sheet Characteristics

MGL36700AAUA

Circuit Breaker, PowerPact M, electronic trip, unit mount, 700A, 3 pole, 18 kA, 600 VAC, aux switch, undervoltage

Product availability: Non-Stock - Not normally stocked in distribution facility

SQUARE 1

Circuit breaker





Commercial status

To be discontinued on: 31 December 2021

To be end-of-service on: 31 December 2022

(!) To be discontinued

Main

Product or component type

Complementary		
Line Rated Current	700 A	
Number of Poles	3P	i i
Breaking capacity code	G	
Magnetic Tripping Current	14007000 A	
Electrical connection	Lugs load Lugs line	; i : : : : : : : : : : : : : : : : : :
Terminal identifier	AL800M23K	
Tightening torque	442.54 lbf.in (50 N.m) 0.150.37 in² (95240 mm²) (AWG 3/0500 kcmil)	
Height	12.86 in (326.6 mm)	
Width	0.32 in (8.06 mm)	Č
Depth	8.27 in (210 mm)	.s T
Continuous current rating	80 %	

Ordering and shipping details

Category	01205 - MG, MJ UNIT MOUNT BREAKER	ה ק ב
Discount Schedule	DE2	
Nbr. of units in pkg.	1	i d
Package weight(Lbs)	29 lb(US) (13.15 kg)	<u></u>
Returnability	No	
Country of origin	US	

Offer Sustainability

Sustainable offer status	Green Premium product	
California proposition 65	WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	REACh Declaration	
EU RoHS Directive	Compliant EU RoHS Declaration	
Mercury free	Yes	
RoHS exemption information	Yes	
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	End of Life Information	
PVC free	Yes	

Contractual warranty

Contractad warranty		
Warranty	18 months	

MGL36700AAUA

Approximate Dimensions

