## Product data sheet Characteristics

# MGL36600LW

Circuit Breaker, PowerPact M, electronic trip, unit mount, 600A, 3 pole, 18 kA, 600 VAC, control wire both ends

Product availability: Non-Stock - Not normally stocked in distribution facility

SQUARE D



Price\*: 11,427.00 USD



#### Main

Product of component type	Circuit breaker	
Complementary		
Line Rated Current	600 A	

∰	_	
*		
The state of the state of		
1		
Main		
Product or component type	Circuit breaker	
Camplamantan:		
Complementary Line Rated Current	600 A	
Number of Poles		
	3P	
Breaking capacity code	G	
Magnetic Tripping Current	12006000 A	
Electrical connection	Lugs load Lugs line	
Terminal identifier	AL800M23K	
Tightening torque	442.54 lbf.in (50 N.m) 0.150.37 in² (95240 mm²) (AWG 3/0500 kcmil)	
Height	12.86 in (326.6 mm)	
Width	0.32 in (8.06 mm)	
Depth	8.27 in (210 mm)	
Continuous current rating	80 %	
Ordering and shipping details		
Category	01205 - MG, MJ UNIT MOUNT BREAKER	
Discount Schedule	DE2	
GTIN	00785901955535	
Nbr. of units in pkg.	1	
1 3	1 lb(US) (0.45 kg)	
Package weight(Lbs)	1 D(U3) (U.43 KU)	

#### Ordering and shipping details

Category	01205 - MG, MJ UNIT MOUNT BREAKER			
Discount Schedule	DE2			
GTIN	00785901955535			
Nbr. of units in pkg.	1			
Package weight(Lbs)	1 lb(US) (0.45 kg)			
Returnability	No			

<sup>\*</sup> Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Country of origin	US		
Offer Sustainability			
Sustainable offer status	Green Premium product		
California proposition 65	WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov		
REACh Regulation	REACh Declaration		
EU RoHS Directive	Compliant EU RoHS Declaration		
Mercury free	Yes		
RoHS exemption information	Yes		
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.		
Environmental Disclosure	Product Environmental Profile		
Circularity Profile	End of Life Information		
PVC free	Yes		

## Contractual warranty

Warranty	18 months	

### **Approximate Dimensions**

