Product data sheet Characteristics

MPZB25S40F65K MINI POWER-ZONE 65 AIC 25KVA

Product availability: Non-Stock - Not normally stocked in distribution facility

SQUARE D

Price*: 14,978.00 USD



Main

Product	Sealed Transformer	,
Certifications	UL Listed	
Туре	Mini Power-Zone	
Enclosure Code	BB	;
Insulation Temperature	365 °F (185 °C)	
Phase	1 phase	
Primary Voltage	480 V	
Secondary Voltage	120/240 V	
Full Capacity Taps	2 5 % FCBN	
Power Rating	25 kVA	
Temperature Rise	115 °C	
Winding Material	Copper	
Interrupt Rating	65 kA	
Circuit Breaker Type	Secondary main breaker Primary main breaker Feeder breaker	:
Interior Type	NQ Panelboard interior	
Number of Spaces Available	24	
Number of Circuits	24	
Enclosure Type	NEMA 3R hot-rolled steel	

Ordering and shipping details

Category	16276 - MPZ BOLT-ON BRANCH CB
Discount Schedule	PE2
GTIN	00785901734703
Nbr. of units in pkg.	1

^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package weight(Lbs)	490 lb(US) (222.26 kg)	
Returnability	No	
Packing Units		
Package 1 Height	1.21 ft (0.368 m)	
Package 1 width	1.93 ft (0.587 m)	
Package 1 Length	4.39 ft (1.337 m)	
Offer Sustainability		
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel (Metallic), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Compliant EU RoHS Declaration	
Mercury free	Yes	
RoHS exemption information	Yes	
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.	
PVC free	Yes	

Contractual warranty

Contractadi Warranty		
Warranty	18 months	

Product data sheet Dimensions Drawings

MPZB25S40F65K

Approximate Dimensions

Connections and Wiring Diagrams

