Product data sheet Characteristics

QO2L40RBCP

Load center, QO, 1 phase, 2 spaces, 2 circuits, 40A fixed main lugs, NEMA3R, UL, consumer pack

Product availability: Stock - Normally stocked in distribution facility

SQUARE 1

Price*: 113.00 USD



Main

Marketing Trade Name	QO	
Product Type	Load Center	
Enclosure Type	Weatherproof enclosure	
Cover Type	Surface cover	
Type of Packing	Bulk	

Complementary

o o mpromornary	
Tightening Torque	Main lugs 35 lb.in, AWG 14AWG 10, aluminium/copper Main lugs 40 lb.in, AWG 8AWG 4, aluminium/copper Main lugs 35 lb.in, AWG 12AWG10, aluminium/copper
Load Center Type	Main lugs
Rated Current	40 A
Number of Spaces	2
Max Short Circuit Current Rating	65 kA
Maximum Number of Single Pole Circuits	2
Maximum Number of Tandem Breakers	0
Number of Phases	1 phase
Wire Size	AWG 14AWG 6 copper AWG 12AWG 6 aluminium
Ground Bar	Grounding bar (ordered separately)
Electrical Connection	Lugs
Wiring Configuration	3-wire
Busbar Material	Tin plated aluminium busbar

^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Enclosure Material	Welded galvannealed steel
Surface Finish	Baked enamel Gray
Box Number	1R
Height	9.37 in (238 mm)
Width	4.88 in (124 mm)

Environment

Enclosure Rating	NEMA 3R outdoor
Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)
Product Certifications	UL Listed

Ordering and shipping details

01303 - QO MAIN LUG LOAD CENTERS
CPQ
00047569804373
1
4.92 lb(US) (2.23 kg)
Yes
MX

Packing Units

Unit Type of Package 1	PCE
Office Type of Fackage 1	FUL
Package 1 Height	4.70 in (11.938 cm)
Package 1 width	5.80 in (14.732 cm)
Package 1 Length	11.00 in (27.94 cm)
Unit Type of Package 2	PAL
Number of Units in Package 2	213
Package 2 Weight	1049.00 lb(US) (475.818 kg)
Package 2 Height	40.00 in (101.6 cm)
Package 2 width	40.00 in (101.6 cm)
Package 2 Length	48.00 in (121.92 cm)

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Compliant EU RoHS Declaration	
Toxic heavy metal free	Yes	
Mercury free	Yes	
RoHS exemption information	Yes	
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)	

Approximate Dimensions

