Product data sheet Characteristics

QO2L30SCP

Load center, QO, 1 phase, 2 spaces, 2 circuits, 30A fixed main lugs, NEMA1, surface cover, UL, consumer pack

Product availability: Stock - Normally stocked in distribution facility

SQUARE D



Price*: 41.70 USD



Main

Marketing Trade Name	QO	
Product Type	Load Center	
Cover Type	Surface cover	
Type of Packing	Bulk	

Complementary

		2
Tightening Torque	Main lugs 35 lb.in, AWG 14AWG 10, aluminium/copper Main lugs 35 lb.in, AWG 12AWG10, aluminium/copper	
Load Center Type	Main lugs	
Rated Current	30 A	
Number of Spaces	2	
Max Short Circuit Current Rating	10 kA	
Maximum Number of Single Pole Circuits	2	
Maximum Number of Tandem Breakers	0	
Number of Phases	1 phase	
Wire Size	AWG 12AWG10 aluminium AWG 16AWG 10 copper	
Ground Bar	Grounding bar (ordered separately)	
Electrical Connection	Lugs	
Wiring Configuration	3-wire	
Busbar Material	Tin plated aluminium busbar	
Enclosure Material	Welded sheet steel	
Surface Finish	Baked enamel Gray	

^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Box Number	1
Height	6.73 in (171 mm)
Width	3.82 in (97 mm)

Environment

Enclosure Rating	NEMA 1 indoor
Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)
Product Certifications	UL Listed

Ordering and shipping details

<u> 0 - 0 </u>	
Category	01303 - QO MAIN LUG LOAD CENTERS
Discount Schedule	CPQ
GTIN	00047569804328
Nbr. of units in pkg.	1
Package weight(Lbs)	2.05 lb(US) (0.93 kg)
Returnability	Yes
Country of origin	MX


Packing Units

PCE
4.20 in (10.668 cm)
4.40 in (11.176 cm)
7.50 in (19.05 cm)
PAL
388
815.00 lb(US) (369.677 kg)
40.00 in (101.6 cm)
40.00 in (101.6 cm)
48.00 in (121.92 cm)

Offer Sustainability

Sustainable offer status	Green Premium product		
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov		
REACh Regulation	REACh Declaration		
REACh free of SVHC	Yes		
EU RoHS Directive	Compliant EU RoHS Declaration		
Toxic heavy metal free	Yes		
Mercury free	Yes		
RoHS exemption information	Yes		
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)		
Environmental Disclosure	Product Environmental Profile		

Approximate Dimensions



KNOCKOUTS			
SYMBOL	A	В	С
IN	.50	.75	1.00
MM	13	19	25

Connections and Wiring Diagrams

