

PRODUCT-DETAILS

2541

1 IN CORD CONNECTOR .250-.375 RANGE



General Information

Extended Product Type	2541
Product ID	7TBD105250R0019
EAN	5414363139416
Catalog Description	1 IN CORD CONNECTOR .250-.375 RANGE
Long Description	Liquidtight Strain Relief Cord Connector, 1 Inch, Straight, Cord Range 0.250 to 0.375 Inch, Die Cast Zinc

Ordering

EAN	5414363139416
-----	---------------

Dimensions

Product Net Weight	.25 lb 113.379 g
--------------------	---------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	4.5 in 114 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	6 in 152 mm
Package Level 2 Units	100 piece
Package Level 2 Width	13 in 330 mm
Package Level 2 Height	4 in 102 mm
Package Level 2 Depth / Length	24.25 in 616 mm

Additional Information

Application	Suitable for Use In Hazardous Locations Where General Purpose Equipment is Specifically Permitted by NEC 501-4(B).
Brand / Label	T&B Cord & Cable Fittings
Color	Metallic
Material	Zinc Die Cast
Number of Batteries	0
Product Name	ZINC STRAIN RELIEF FITTING
Product Type	Strain Relief Cord Connectors-Straight
Size	1 Inch
Special Functions	Meets Coast Guard CG293
Standards	UL E13938, CSA
Temperature Range	105 °C
UPC	786210025414

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000046
Instructions and Manuals	2541

Classifications

ETIM 6	EC000441 - Cable screw gland
ETIM 7	EC000441 - Cable gland
UNSPSC	39121431
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4601 >> Cable gland connector

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

